

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	32	(Genevois near2 Christophe). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 14:29
S2	2	(Genevois near2 Christophe). in. (data packet encrypted). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 14:30
S7	39	"5805700".pn. or "5051991. pn" or "0982951" or "1134900" or "2322994" or "19906449" or "2812147"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 15:52
S8	352	380/239.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:02
S9	237	380/239.ccls. (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:02
S10	15	380/239.ccls. (@ad< "20020321") ((select \$4 near4 encrypt\$4) with (stream or packet or multimedia))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:04
S12	31	(380/212,239,37).ccls. (@ad< "20020321") ((select \$4 near4 encrypt\$4) with (stream or packet or multimedia))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:08

S13	105	("380"/\$.ccls.) (@ad<"20020321") ((select \$4 near4 encrypt\$4) with (stream or packet or multimedia))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:12
S14	97	("380"/\$.ccls.) (@ad<"20020321") ((select \$4 near4 encrypt\$4) with (stream or packet or multimedia))((transport\$4 or transmit\$4) with (stream or packet or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:14
S15	73	("713"/\$.ccls.) (@ad<"20020321") ((select \$4 near4 encrypt\$4) with (stream or packet or multimedia))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:24
S16	239	((select\$4 near4 encrypt\$4) with (stream or packet or multimedia)) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:28
S18	49	((select\$4 near4 encrypt\$4) with (stream or packet or multimedia))((set\$2top \$2box) or (set adj top adj box))(@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:32
S19	6	((select\$4 near4 encrypt\$4) with (stream or packet or multimedia))((set\$2top \$2box) or (set adj top adj box))(DVB or (digital adj video adj broadcast)) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:34
S20	7	((select\$4 near4 encrypt\$4) with (stream or packet or multimedia))((set\$2top \$2box) or (set adj top adj box) or (smart\$2card or (smart adj card)))(DVB or (digital adj video adj broadcast)) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 16:34
S21	49	((select\$4 near4 encrypt\$4) or (partial\$4 near scrambl \$4)) with (stream or packet or multimedia))((set\$2top \$2box) or (set adj top adj box))(@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 17:03

S22	8	((select\$4 near4 encrypt\$4) or (partial\$4 near scrambl \$4)) with (stream or packet or multimedia))((set\$2top \$2box) or (set adj top adj box) or (smart\$2card or (smart adj card)))(DVB or (digital adj video adj broadcast)) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/02/29 17:04
S23	11	szczutkowski.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/05 13:21
S24	45	((select\$4 near4 encrypt\$4) with (stream or packet or multimedia))(SIM or (smart \$2card or (smart adj card)) or (chip adj card)) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/05 16:33
S25	1	((select\$4 near4 encrypt\$4) with (stream or packet or multimedia))(SIM or (smart \$2card or (smart adj card)) or (chip adj card))(SIM) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/05 16:33
S26	98	((decrypt\$4 adj key) with (SIM or (smart\$2card or (smart adj card)) or (chip adj card)))(@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/05 16:47
S27	6	((decrypt\$4 adj key) with (SIM or (smart\$2card or (smart adj card)) or (chip adj card)))(SIM) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/05 16:48
S28	2	"200501471713".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 08:21
S29	6	((decrypt\$4 adj key) with (SIM or (smart\$2card or (smart adj card)) or (chip adj card)))(SIM) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:27

S30	9	((decrypt\$4 adj key) same (SIM or (smart\$2card or (smart adj card))) or (chip adj card)))(SIM) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:30
S31	19	((key with decrypt\$4) same (SIM or (smart\$2card or (smart adj card))) or (chip adj card)))(SIM)(card with read \$4)(@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:33
S32	4	((key with decrypt\$4) same (smart\$2card or (smart adj card)))(SIM)(card with read \$4)((custom\$6 near card) or (one near3 card) or (limit\$4 near2 card)) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:46
S33	4	((key with decrypt\$4) same (smart\$2card or (smart adj card)))(SIM)(card with read \$4)((custom\$6 near card) or (one near3 card) or (limit\$4 near2 card) or (event near2 card))(@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:46
S34	4	((key with decrypt\$4) same (smart\$2card or (smart adj card)))(SIM)(card with read \$4)((custom\$6 or event or limit\$4 or tim\$4) near3 card) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:49
S35	4	((key with decrypt\$4) same (smart\$2card or (smart adj card)))(SIM)(card with read \$4)((custom\$6 or event or limit\$4 or tim\$4 or usage) near3 card) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 11:52
S36	9	((key with decrypt\$4) same (SIM or (smart\$2card or (smart adj card))) or (chip adj card)))(SIM)(card with read \$4)(phone) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 13:02
S37	7	((key with decrypt\$4) same (SIM or (smart\$2card or (smart adj card))) or (chip adj card)))(SIM)(card with read \$4)(phone)(circuit\$4) (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 13:54

S38	23	((key with decrypt\$4) same (SIM or (smart\$2card or (smart adj card))) or (chip adj card))) (SIM) (card with read \$4) (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 13:20
S39	4	(head\$2end\$2 with (encrypt \$4 encod\$4) same (smart \$2card\$2 (smart adj card))) AND (head\$2end\$2 with (encrypt\$4 encod\$4) same (PC computer)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 08:42
S46	388	((shift\$4 insert\$4) near7 (ahead order position location) with (packet stream message)) AND ((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl\$4)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:51
S47	24	((shift\$4 insert\$4) near7 (ahead order position location) with (packet stream message)) AND ((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl\$4)).ab. AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:51
S48	36	((shift\$4 insert\$4) near7 (ahead order position location sequenc\$4) with (packet stream message)) AND ((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl\$4)).ab. AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:57
S49	12	S48 not S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:58
S50	49	((shift\$4 insert\$4) near7 (ahead order\$3 behind before after) near7 (sequen \$6 position location) with (packet stream message)) AND ((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl\$4)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:02

S51	506	((shift\$4 insert\$4) near7 (ahead order\$3 behind before after) near7 (sequen \$6 position\$4 location) with (packet stream message)) AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 17:11
S52	170	((shift\$4 insert\$4) near7 (ahead order\$3 behind before after) near7 (sequen \$6 position\$4 location) with (packet stream message)) AND (packet with (broad\$7 transmit\$4)) AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 17:12
S53	306	((shift\$4 insert\$4 construct (mak\$4 adj up)) near7 (packet stream message) with (ahead order\$3 behind before after) with (sequen\$6 position\$4 location)) AND (packet with (broad\$7 transmit\$4)) AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 17:20
S54	75	((shift\$4 insert\$4 construct (mak\$4 adj up)) near7 (packet stream message) with (ahead order\$3 behind before after) with (sequen\$6 position\$4 location)) AND (packet with (broad\$7 transmit\$4)).ab. AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 17:20
S55	155	((shift\$4 insert\$4 construct (mak\$4 adj up)) near7 (packet stream message) with (ahead order\$3 behind before after) with (sequen\$6 position\$4 location)) AND ((packet message stream) with (broad\$7 transmit\$4)).ab. AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 17:21
S57	256	((shift\$4 insert\$4 construct \$3 (mak\$4 adj up)) near7 (packet stream message frame) with (order\$3 behind before after ahead)) AND ((packet message frame stream) with (broad\$7 transmit\$4) with (encrypt\$4 \$3cipher\$4)) AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 11:59

S58	80	((shift\$4 insert\$4 construct \$3 (mak\$4 adj up)) near7 (packet stream message frame) with (order\$3 behind before after ahead)) AND ((packet message frame stream) with (broad\$7 transmit\$4) with (encrypt\$4 \$3cipher\$4) same (select\$4 part\$4)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 11:59
S59	156	((shift\$4 swap\$4 switch\$4 insert\$4 construct\$3 (mak\$4 adj up)) near7 (packet stream message frame) with (order\$3 behind before after ahead sequence)) AND ((packet message frame stream) with (broad\$7 transmit\$4) with (encrypt\$4 \$3cipher\$4) same (select\$4 part\$4)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 12:22
S60	76	S59 not S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 12:22
S61	207	((packet message frame stream) with (broad\$7 transmit\$4) with (encrypt\$4 \$3cipher\$4) same (select\$4 part\$4)) AND ((shift\$4 switch \$4 chang\$4 swap\$4 re\$order \$4) near7 (order\$4 sequenc \$4 position location bit block byte) with (packet stream message frame)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 12:39
S62	130	S61 not S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 12:40
S63	2	"7433472".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 22:17

S64	518	((ahead near7 time) AND ((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4)) AND (@ad<"20020321"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 22:19
S65	28	((ahead near7 time) AND ((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4)).ab. AND (@ad<"20020321"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 22:19
S66	71	((packet stream message frame) with (ahead near7 time)) AND ((select\$4 partial \$4) near5 (encrypt\$4 encod \$4 scrambl\$4)) AND (@ad<"20020321"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 22:20
S67	6	((packet stream message frame) with (ahead near7 time)) AND ((select\$4 partial \$4) near5 (encrypt\$4 encod \$4 scrambl\$4) same (distribut \$4 broad\$6)) AND (@ad<"20020321"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 22:21
S68	554	((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4) same (distribut\$4 broad \$6 transmit\$4)) AND ((packet stream message frame) with (((shift\$4 swap \$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time))) AND (@ad<"20020321"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 09:22
S69	197	((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4) with (packet stream message frame) same (distribut\$4 broad\$6 transmit \$4)) AND ((packet stream message frame) with (((shift \$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time))) AND (@ad<"20020321"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 09:23

S70	8	((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4) with (packet stream message frame) same (distribut\$4 broad\$6 transmit \$4)) AND ((packet stream message frame) with ((ahead near4 time))) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 09:27
S71	105	((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4) with (packet stream message frame) same (distribut\$4 broad\$6 transmit \$4)) AND ((packet stream message frame) with (((shift \$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) same (encrypt\$4 encod\$4 scrambl\$5 \$3cipher \$4)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 09:31
S72	8	((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4) with (packet stream message frame) same (distribut\$4 broad\$6 transmit \$4)).ab. AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) same (encrypt \$4 encod\$4 scrambl\$5 \$3cipher\$4)) AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 09:32
S73	88	((select\$4 partial\$4) near5 (encrypt\$4 encod\$4 scrambl \$4 \$3cipher\$4) with (packet stream message frame) same (distribut\$4 broad\$6 transmit\$4)) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) same (encrypt \$4 encod\$4 scrambl\$5 \$3cipher\$4)) AND ((encrypt \$4 encod\$4 scrambl\$4 \$3cipher\$4) near7 (packet stream message frame content)).clm. AND (@ad< "20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 09:35

		@rlad<"20020321")				
S74	3	"6567471".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/09 09:19
S75	69	(Digital near2 Video near2 Broadcast) AND ((select\$4 part\$4) near5 (encrypt\$4 decrypt\$4)) AND (@ad<"20020321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:47
S76	26	(Digital near2 Video near2 Broadcast) AND ((select\$4 part\$4) near5 (encrypt\$4 decrypt\$4)) AND (@ad<"20020321") AND (head near end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:47
S77	116	((package stream message) same ((select\$4 part\$4) near5 (encrypt\$4 decrypt\$4))) AND (@ad<"20020321") AND (head near end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:54
S78	45	("380"/("239,42,242").ccls.) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) same (encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:06
S79	10	("380"/("239,42,242").ccls.) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) with (partial\$4 select\$4))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:07
S80	0	("713"/("160").ccls.) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) with (partial\$4 select\$4))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:08

S81	11	("707"/("473,486").clds.) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) with (partial\$4 select\$4))).clm.	US-PGPUB; USPAT; USOCR; FPHS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:09
S82	1	("709"/("203").clds.) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) with (partial\$4 select\$4))).clm.	US-PGPUB; USPAT; USOCR; FPHS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:09
S83	1	("709"/("203,225").clds.) AND ((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) with (partial\$4 select\$4))).clm.	US-PGPUB; USPAT; USOCR; FPHS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:09
S84	28	((packet stream message frame) with (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) with (partial\$4 select\$4))).clm.	US-PGPUB	OR	ON	2009/06/17 16:10
S85	13	((packet stream message frame) near7 (((shift\$4 swap\$4 switch\$4) near7 (position location sequence bit byte)) (ahead near4 time)) SAME ((encrypt\$4 encod\$4 scrambl\$5 \$3cipher\$4) near7 (partial\$4 select\$4))).clm.	US-PGPUB	OR	ON	2009/06/17 16:11

6/ 17/ 2009 4:28:12 PM

C:\ Documents and Settings\ lpham7\ My Documents\ EAST\ Workspaces\ 10\ 10-508-840.wsp